

1. Product And Company Identification

Product Name: K-WAX ® Hydrophobic Coat Sealant

Responsible Party: K-WAX INTERNATIONAL CO., LTD No.43, Sanlong St., Shulin Dist., New Taipei City 238, Taiwan (R.O.C.)

Emergency Information: TEL. 886-2-86883099 FAX. 886-2-86883089 SDS Date Of Preparation: 01/30/2018 Product Use and Uses Advised Against: Automotive maintenance product – For consumer and professional use

2. Hazards Identification

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will differ from the OSHA information shown below.

GHS Classification:

Physical:	Health:
Not Hazardous	Not Hazardous

GHS Label Elements: None

Hazards not otherwise specified: None

Percentage of unknown toxicity: N/a

3. Composition/Information On Ingredients

Component	CAS No.	Amount
Silicone Oil	63148-62-9	20-25%
Fluorosilicone	63148-56-1	2-5%
Surfactant	9004-81-3	<5%
Water	7732-18-5	65-70%

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation: If symptoms of exposure develop, remove to fresh air. Seek medical attention if symptoms persist.

Skin Contact: Rinse skin with plenty of water. If skin irritation or redness develops, seek medical attention.

Eye Contact: Flush eyes with plenty of water. If irritation or other symptoms persist, seek medical attention.



Ingestion: Do not induce vomiting unless directed to by doctor or physician. If the victim is fully conscious, have them drink a glass of water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

Most Important Symptoms: Direct eye contact may cause mild irritation.

Indication of Immediate Medical Attention/Special Treatment: Immediate medical attention should not be required.

5. Firefighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use dry chemical, carbon dioxide, foam, or water spray.

Specific Hazards Arising from the Chemical: Closed containers may rupture if exposed to extreme heat. Thermal decomposition will generate oxides of carbon and silicon and formaldehyde.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure selfcontained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Wear appropriate protective equipment.

Environmental Precautions: Prevent entry in storm sewers and waterways. Report spill as required by local and national regulations.

Methods for Containment and Clean-Up: Absorb with an inert material. Collect into a suitable container for disposal. Rinse area with water.

7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Wash hands after use. Keep out of the reach of children.

Conditions for Safe Storage, Including any Incompatibilities: No special storage required.

8. Exposure Controls / Personal Protection

Exposure Guidelines:

CHEMICAL	EXPOSURE LIMIT
Silicone Oil	None Established
Fluorosilicone	None Established
Surfactant	None Established
Water	None Established

Engineering Controls: General ventilation should be adequate for all normal use.



<u>K-WAX INTERNATIONAL CO., LTD</u> No. 43, Sanlong St., Shulin Dist., New Taipei City 238, Taiwan(R.O.C.) Tel. 886-2-86883099

Personal Protective Equipment

Respiratory Protection: None required under normal use conditions.

Gloves: None required under normal use conditions.

Eye Protection: None required for normal use. Avoid eye contact.

Other Protective Equipment/Clothing: None required under normal use conditions.

9. Physical and Chemical Properties

Appearance and Odor: Fluorescent yellow clear liquid with sillicon odor.

Physical State: Liquid	Odor Threshold: Notavailable
pH: 4.5-6.5	Specific Gravity: ~1
Initial Boiling Point/Range: Notdetermined	Vapor Pressure: Not determined
Melting/Freezing Point: Not determined	Vapor Density: Not determined
Solubility In Water: Easilysoluble	Percent Volatile: >60%
Viscosity: Not determined	Evaporation Rate: Not determined
Coefficient Of Water/Oil Distribution: Notdetermined	VOC Content: Not determined
Flash Point: >212°F (>100°C)	Autoignition Temp: Not determined
Decomposition Temperature: Not determined	Flammability Limits: LEL: Not determined
	UEL: Not determined
Flammability (solid, gas): Not applicable	

10. Stability and Reactivity

Reactivity: Not normally reactive Chemical Stability: Stable. Possibility of Hazardous Reactions: None known Conditions To Avoid: None known Incompatible Materials: Strong oxidizing agents. Hazardous Decomposition Products: Thermal decomposition will generate oxides of carbon, silicon dioxide, and formaldehyde.

11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

Acute Hazards:

Inhalation: No adverse effects expected from the normal use of this product.

Skin Contact: No adverse effects expected from the normal use of this product.

Eye Contact: Direct contact may cause slight eye irritation.

Ingestion: Swallowing may cause gastrointestinal disturbances.



Chronic Hazards: None currentlyknown.

Carcinogenicity Listing: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Acute Toxicity Values:

No data available for product.

12. Ecological Information

Ecotoxicity:

No ecotoxicity data is currently available for product.

Persistence and Degradability: No data available

Bio accumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: No data available

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations. Offer empty containers for recycling.

14. Transport Information

General Transportation Statement

15. Regulatory Information

This product does not require classification by DOT, IATA, ICAO or IMDG.

United States:

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.**CERCLA Section 103**: This product has no RQ, however, oil spills must be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Not hazardous

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None



<u>Canada</u>:

Canadian WHMIS Classification: Not a controlled product.

Canadian Environmental Protection Act: All of the ingredients are listed on the Canadian DSL.

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

16. Other Information			
NFPA Rating (NFPA 704): HMIS Rating:	Health: 0 Health: 0	Fire: 0 Fire: 0	Instability: 0 Physical Hazard: 0
REVISION SUMMARY: May 3, 2021 Update to GHS SDS format and name change: Changes to all sections.			

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH